## Remarks

- Applicant thanks the Examiner for his well considered, helpful and detailed
  Office Action and for recognizing applicants' contribution by indicating the claims allowable upon correction of informalities in the application and the claims.
- 2) Claims 1-30 and 44-47 are pending in the application.
- 3) Applicant thanks the Examiner for the detailed suggestions for corrections, and for his uniquely attentive contribution in improving the application quality. Applicant apologizes for the numerous inadvertent typographical and grammatical errors that existed in the application as filed.
- Applicant amended the application in accordance with the Examiner's suggestions.
- Additionally, applicant corrected the preamble of claims 2-29 to overcome a minor syntactic error.
- 6) A grammatical error was corrected in the last line of claim 6.
- 7) Claim 25 was amended to correct an input transducer being erroneously claimed as a power transducer.
- 8) Applicant respectfully submits that the amendments were all related to grammatical and typographical mistakes, did not introduce any new matter or materially changed the claim scope in a manner that will require a new search.
- 9) Applicant has made a good faith effort to address each and every point made by the Examiner, and amended the claims, drawings, and specifications, in order to place the application in condition for allowance. Should the Examiner find any deficiency in this amendment or in the application, or should the Examiner believe for any reason, that a conversation with applicant's agent may further the allowance and issuance of this application, the Examiner is kindly requested to contact Shalom Wertsberger at telephone (207) 799-9733.

Application No.: 10/743,986

-- 14 of 15 -

Docket:0328US-BIODE

10) In light of the amendments made, applicant respectfully submits that the application is in condition for allowance. Reconsideration and withdrawal of the objections, and issue of a notice of allowance on all pending claims is respectfully solicited.

Respectfully submitted

Shalom Wertsberger

Reg. Num 43,359

30 Fern Lane South Portland, ME 04106 Phone: (207) 799-9733 Fax: (207) 767-5324

Agent for Applicant

Application No.: 10/743,986

- 15 of 15 -

Docket:0328US-BIODE

## In the Drawings

Please replace the originally filed drawing sheets with the 4 enclosed drawing sheets.

Application No.: 10/743,986

- 5 of 15 --

Docket:0328US-BIODE